

# Estopatch SRF

## Concrete Surface Repair Filler

### Description

**Estopatch SRF** is supplied in powder form which can be added into any polymer binder to repair concrete surface on site. It contains special pre-blended cements, graded sands, fillers and chemical additives to provide a putty mixture after blended in polymer binder.

### Uses

**Estopatch SRF** is a specially formulated concrete surface repair filler to be added in any polymer binder to form a putty filler which can fill up the small pinholes or fine cracks on concrete surface prior to the coating application. The addition of polymer binders to **Estopatch SRF** gives an extremely durable and smooth finishing.

### Advantages

- Easy to use
- Fine filler able to fill up small pinholes and hair line cracks

### Physical Properties

Appearance	Light Grey to Off White powder
Density, kg/L	2.6 – 2.8

### Application Instructions

#### Surface preparation

The surface to be repaired shall be clean and free of dust, plaster, oil, paint, grease, corrosion deposits and any other deleterious substances.

**Estopatch SRF** should not be applied if the substrate is subject to moving water.

#### Mixing

**Estopatch SRF** can be mixed in any polymer binder at the approximate ratio 2 : 1 (**Estopatch SRF** : Polymer binder). Mix thoroughly until a homogenous mixture obtained.

### Application

Application of **Estopatch SRF** mixture should be by metal scrapper or trowel to the complete area requiring treatment and allowed to dry before over coating.

### Cleaning

**Estopatch SF** mixture should be removed from tools with clean water or solvent (depends on the polymer binder) immediately after use. Cured material can only be removed mechanically.

### Packing & Size

<b>Estopatch SRF</b>	25 kg bag
----------------------	-----------

### Coverage

<b>Estopatch SRF</b>	2 – 3 kg per m <sup>2</sup> depends on concrete porosity
----------------------	--

### Technical Support

Denka offers a comprehensive range of high performance, high quality of repair product for both new and existing concrete surfaces. In addition, the company offers a technical support package to specifiers, end-users and contractors, as well as on site technical assistance.

### Storage

**Estopatch SRF** has a shelf life of 12 months if maintained in dry storage conditions in unopened bags. This may be reduced in location of high humidity.

140401

## Precaution

**Estopatch SRF** contains cement powder, which might be harmful to sensitive skin. In case of contact with eyes, rinse with water immediately and seek medical advice.

## Additional Information

**Denka Construction Solutions Malaysia Sdn Bhd** offers a wide range of complementary products which includes waterstops, waterproofing products, grouts, anchors, specialized flooring products. In addition, a wide range of products formulated for repair and refurbishment of spalled concrete are available.



**Denka Construction Solutions Malaysia Sdn Bhd**  
(591858-U)

No. 18, Jalan Utas 15/7, Seksyen 15,  
40200 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel: +603 5510 8810 Fax: +603 5518 8202

[www.denka-cs.com](http://www.denka-cs.com)

## Limitation of Liability

*The information contained in this brochure provides general advice for potential customers for DENKA about the basic properties and characteristics of various DENKA products (hereafter known as "the Product Information"). DENKA makes no warranty or representation as to the entire accuracy or completeness of the Product Information in the brochure. Nothing in this brochure will be deemed to create any express or implied warranty of merchantability, fitness for a particular purpose or infringement of any intellectual property rights. Each user of the Product Information and DENKA products assumes their own responsibility to properly determine the manner and suitability of use of the Product Information and DENKA products in its own operations. The user should exercise proper care in considering the Material Safety Data Sheet, Product Information and any other technical information provided by DENKA including descriptions of the conditions of use, warnings and other cautionary instructions. DENKA reserves the right to change the Product Information from time to time at its discretion and without notice.*